

Product Information

ISO Class 4 - 5

Cleanroom Class 10 – 100 EU Grade B/C/D

Super Polx® 1200A

Cleanroom Laundered 100% Polyester Knit Wiper

Super Polx* 1200A is a knife cut cleanroom laundered wiper recommended for ISO Class 4 and above environments composed of 100% continuous filament polyester knit fabric. This combination of properties provides Super Polx*1200A with the highest level of cleanliness, abrasion resistance and chemical compatibility required for ISO Class 4 and above environments and applications requiring critical control of contaminants combined with superior performance.

Key Attributes

- 100% continuous filament double knitted polyester
- Knife cut edge
- Laundered and packed in an ISO Class 4 cleanroom
- · Sterilisable by autoclave, gamma or beta

Benefits

- Low particles, fibres, ion and non-volatile residue
- · High abrasion resistance
- . Chemically compatible with IPA, acetone and other solvents
- High sorbency
- Soft hand and edge for sensitive surfaces

Applications

- Designed for use in ISO Class 4 and higher cleanroom environments
- Designed for high level of contamination control in critical processing applications
- Integrated circuit fabrication areas
- CD and DVD manufacturing operations
- Breakdown cleans in fab and suite construction
- Equipment wrap and wipe down
- Stencil and other print roll cleaning applications
- Cleaning of medical device products
- · Applying and removing cleaning and disinfecting solutions

Other ISO Class 4 and above wipers - Super Polx® SW

ouperroix ovv

Value Pack Option

The value pack option provides the same great performance in a more economical bulk packaging format.

www.berkshire.uk.com

Contact: Tel + 44 1953 562800 enquiries@berkshire.uk.com

America	Tel 1 413 528 2602	info@berkshire.com
Europe	Tel + 44 1953 562800	enquiries@berkshire.uk.com
SE Asia	Tel 65 6252 4313	enquiries@berkshire.com.sg
Japan	Tel 81 3 4530 9883	master@berkshire.co.jp



Technical Data:

Attribute		Units	Value	Test Method
Basis Weight		g/m²	137	TAPPI T-410
Caliper	<u> </u>	μm	558	ASTM D1777
Fibres	_≥100μm	fibres/cm ²	0.33	IEST-RP-CC004.4 Sec 7.1.3/Sec 7.2.2
Particles	<u>≥</u> 0.5μm	x10³/cm²	1.4	IEST-RP-CC004.4 Sec 7.1.3/Sec 7.2.1
Sorbency	Capacity	mL/m²	441	IEST-RP-CC004.4 Sec 9.1 / Sec 9.2 modified
	Efficiency	mL/g	3.2	
	Rate	seconds	1	
Non-Volatile Residue	DI Water	g/m²	0.0011	IEST-RP-CC004.4 Sec 8.1.2
	IPA	g/m²	0.0080	
Ions	Na ⁺	ppm	0.056	IEST-RP-CC004.4 Sec 8.2.2
	K ⁺	ppm	0.0011	
	Ca ⁺⁺	ppm	0.045	
	Mg**	ppm	0.000010	
	CI-	Ppm	0.045	

Notes:

- Technical data represented in this table are typical values at the time of publication. These should not be used as product specifications.
- Due to differences in test methods applied and equipment utilised by different wiper manufacturers, valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions
- Third party testing can be performed upon request

Order Information:

Product	Number	Size	Shts/pk	Pks/cs	Style
Super Polx® 1200A	S1200A090910	9x9" (23x23cm)	150	10	Stacked
Super Polx® 1200A	S1200A0909B10	9x9" (23x23cm)	150 Bulk	10	Value Pack
Super Polx® 1200A	S1200A121210	12x12" (30x30cm)	150	10	Stacked

Other Berkshire Products



Wipers



Glove Liners



Mop Systems



Documentation Systems



Face Masks



Swabs