

Product Information ISO Class 4 — 5 Cleanroom Class 10 – 100 EU Grade B/C/D

MicroPolx® 4000-HP

80% Polyester / 20% Nylon Sealed Edge Microdenier Cleanroom Wiper

MicroPolx[®] 4000-HP is a sealed edge cleanroom laundered wiper recommended for ISO Class 4 and above environments composed of polyester and nylon microdenier knitted fibre. It provides superior particle and bacterial removal without damaging critical surfaces. The wiper's high fibre surface area results in more efficient cleaning performance and minimises the need for potentially harmful solvents.



Other Microfibre Wipers

- MicroPolx[®] 2750
- MicroPolx[®] 1100

Composition and Attributes

- 80% Polyester / 20% nylon microdenier knitted wiper
- Laundered and packaged in an ISO Class 4 cleanroom
- Ultrasonically sealed edges minimise fibre and particle generation
- Abrasion resistant

Benefits

- Microfibre yarn increases surface area and provides superior wiping efficiency and sorptive performance
- Cleans efficiently with less solvent usage than traditional wipers
- Removes oily soils with little or no solvent required
- Soft hand and non-abrasive sealed-edge are excellent for sensitive or scratch prone surfaces
- Chemically compatible with IPA and other commonly used solvents

Applications

- Semiconductor
- TFT—LCD
- Suited for cleaning precise optical machinery and tools
- Used for cleaning a delicate process in critical cleanrooms
- Compatible with ISO Class 4 (Class 10) cleanroom applications and above
- Irradiated options are available

Value Pack Option

The value pack option provides the same great performance in a more economical bulk packaging format.

www.berkshire.uk.com

Contact: Tel + 44 1953 562800 enquiries@berkshire.uk.com

America	Tel 1 413 528 2602	info@berkshire.com
Europe	Tel + 44 1953 562800	enquiries@berkshire.uk.com
SE Asia	Tel 65 6252 4313	enquiries@berkshire.com.sg
Japan	Tel 81 3 4530 9883	master@berkshire.co.jp



Technical Data:


Attribute		Units	Value	Test Method
Basis Weight		g/m²	247	TAPPI T-410
Caliper		μm	495	TAPPI T-411
Fibres	≥100µm	fibres/cm ²	0.070	IEST-RP-CC004.4 Sec 7.1.3/Sec 7.2.2 modified
Particles	≥0.5µm	x10 ³ /cm ²	4.0	IEST-RP-CC004.4 Sec 7.1.3/Sec 7.2.1 modified
Sorbency	Capacity	mL/m ²	415	IEST-RP-CC004.4 Sec 9.1 / Sec 9.2 modified
	Efficiency	mL/g	1.7	
	Rate	seconds	3	
Non-Volatile Residue	DI Water	g/m²	0.015	IEST-RP-CC004.4 Sec 8.1.2
	IPA	g/m ²	0.12	
Ions	Na ⁺	ppm	0.20	IEST-RP-CC004.4 Sec 8.2.2
	K ⁺	ppm	0.020	
	Ca++	ppm	0.50	
	Mg ⁺⁺	ppm	0.080	
	Cl	ppm	0.30	

Notes:

- Technical data represented in this table are typical values at the time of publication. These should not be used as product specifications.
- Due to differences in test methods applied and equipment utilised by different wiper manufacturers, valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions
- Third party testing can be performed upon request

Order Information:

Product	Number	Size	Shts/pk	Pks/cs	Style
MicroPolx [®] 4000-HP	MP4000HP060640	6x6" (15x15cm)	25	40	Stacked
MicroPolx® 4000-HP	MP4000HP090910	9x9" (23x23cm)	50	10	Stacked



www.berkshire.uk.com

Contact: Tel + 44 1953 562800 / info@berkshire.uk.com

BIL_3045_02-2025